

TILE SPECIALIST



CERAMIC, ASIA

CERASIA

CerAsia International was established in Malaysia in 2008 and has quickly become a leading OEM manufacturer and distributor of an excellent wealth of porcelain, ceramic and mosaic tiles to clients across the world.

With over 50 years of combined tile manufacturing and global tile distribution expertise, CerAsia takes pride in understanding and fulfilling clients' aspirations and needs, and that very dedication has allowed us to consistently exceed clients' expectations in delivering cost-effective and timely premier quality tiles to leading projects across the globe.

So join us, as we continue to go above and beyond in paving a future abundant with premier tiles, and satisfied smiles.



Headquarters of CerAsia International

► FOREWORD

CHOOSING A TILE IS NO TRIFLE MATTER

More often than not, tiles are among the first physical and visual sensations we experience upon stepping foot in a room – their texture, pattern and finishing casting an imprint which defines and enhances the room's ambiance.

Every aspect of a tile adds character to your design and immortalizes your ideal atmosphere, and each tile brims within you the comfort of home, or the energy of a workplace.





This catalogue is designed to aid you in discovering the perfect tile to serve your room, along with pointers and guidelines on tile selection, installation, and care for a worry-free experience.

Now, let us begin our journey.

CONTENTS

04 amalfi

80	ayers rock								
12	balau								
16	canyon								
20	capri								
24	casa nero								
28	cement								
32	colonial								
36	crema marfil								
40	durban								
44	gres arena								
48	jati								
52	kalahari								
56	kashmir								
60	konkrit (floor)								
64	linea								
68	merbau			100	commercial				
72	novo			104	galaxy				
76	rio sandstone			108	mono				
80	wood	90	cambrian	112	patio	122	bellagio		
84	virgil	94	marbach	116	savannah	126	elina	132	konkrit (wall)
GLAZED PORCELAIN		DOUBLE LOADING		FULL BODY PORCELAIN		VITRIFIED CERAMICS		CERAMIC WALL	
		PORCELAIN							

INSTALLATION & CARE TILE SELECTION PEI RATINGS & TILE CLASSIFICATIONS CLASSIFICATIONS

136 144 146 148

Strong, dense tiles with an impervious finish that safeguards the tile from stains and moisture.







AMALFI

Calm, artistically muted greys that fill each footstep with sophistication and certainty.



AMALFI



AMAIV Ivory



AMABEBeige



AMAGY Grey



AMABK Black

60cm x120cm

60cm x 60cm

60cm x 30cm

30cm x 30cm

Made In China


*60 x 60 Matte - 9.5mm, Anti Slip - 10mm & 20mm thickness. *60 x 120 only in Matte (10.5mm) thickness.

finishes matte I anti slip

features
rectified I R9 (matte), R11(anti slip)

shade variation slight variation





AYERS ROCK

Waves upon waves of flowing rock patterns create a texture that seamlessly fuses with nature.



AYERS ROCK



AYEIV Ivory



AYEBE Beige



AYELBLight Brown



AYEMB



AYEOL Olive



Mid Brown




AYETQ Turquoise

AYEDB

Dark Brown



Made In China







BALAU

With such rustic wooden patterns, life is constantly in tune with nature.



BALAU



BALBEBeige



BALIV Ivory



BALMB Mid Brown



BALDBDark Brown


15cm x 90cm

Made In China

finishes matte I anti slip features
rectified I R10 (matte), R11 (anti slip)

shade variation moderate variation







Boldly serene, flowing canyon waves that exude spaciousness.



GLAZED PORCELAIN CANYON



CANIV Ivory




CANLGLight Grey




CANMGMid Grey



CANTUTaupe



CANCH Charcoal



Made In China


finishes matte I lapatto **features** rectified I R9

shade variation slight variation









GLAZED PORCELAIN CAPRI




CAPDGDark Grey



CAPLGLight Grey



CAPWH White



CAPBK Black



Made In China


finishes matte


features rectified I R9

shade variation slight variation

















CSNIV Ivory




CSNMGMid Grey



CSNMO Mocha



CSNDGDark Grey



CSNBK Black

60cm x 60cm 60cm x 30cm


60cm x 30cm | 30cm x 30cm


Made In China

finishes matte I lapatto **features** rectified I R9

shade variation slight variation









CEMENT



CMTBR Brown




CMTBE Beige




CMTWH White




CMTGY Grey




CMTBK Black



Made In China









Industrial patterns that meld the tranquil of the seas with the comfort of your room.





COLONIAL



COLLG Light Grey

finishes

matte I lapatto



COLOL Olive



COLBK Black



60cm x 30cm

30cm x 30cm

features

rectified | R9

shade variation substantial variation



Made In China



CREMA MARFIL

Abstract and characteristic patterns paired with a warm palette – charmingly individualistic.



CREMA MARFIL



CREIV Ivory



CRECR Cream



CREGY Grey



40cm x 80cm

60cm x 60cm

60cm x 30cm | 30cm x 30cm

Made In China

shade variation

moderate variation

finishes features rectified satin







Gently etched patterns weave a tale of quiet grace and minimalist charm.



DURBAN








DURMG Mid Grey



DURDGDark Grey




Made In China


finishes matte I lapatto features
rectified I R9 (matte)

shade variation slight variation









GLAZED PORCELAIN GRES ARENA





Made In China

finishesfeaturesshade variationmatte I lapattorectified I R9slight variation







Hearty natural patterns lend a rejuvenating, steady charm.




JATI



JATWHWhite



JATCR Cream






JATLA / JATBE Latte / Beige



JATTE Tea



JATRORoseate




JATCH / JATBK Charcoal / Black



JATMGMid Grey



JATBN Light Grey



JATBRBrownie

15cm x 90cm

Made In China

finishes matte features
rectified I R9 (matte)

shade variation moderate variation









Passionate, exotic shades with a sparsely sandy pattern – transporting your mind to a serene sandscape.














KASHMIR



KASWH White



KASSI Silver



KASGY Grey




KASCH Charcoal

45cm x 90cm

Made In China

finishes matte I silk I polished features rectified I R10 (matte) shade variation moderate variation







Boldly simplistic and sparsely patterned, gives subtle character to just about any setting.



KONKRIT (FLOOR)



KONWH White




KONIV Ivory



KONBEBeige



KONLG Light Grey




KONDGDark Grey


45cm x 45cm 30cm x 30cm

Made In China

finishes matte I anti slip I lapatto **features** non-rectified I P1 (matte), P5 (anti slip) **shade variation** moderate variation







Let a myriad of wooden grains and veins imbue your room with a rejuvenating ambiance.







BIANCOIvory/White



CENERELight Grey



GRIGIODark Grey



SABBIABeige



MARRONE Brown



NERO Black

15cm x 90cm
60cm x 60cm
60cm x 30cm
30cm x 30cm
45cm x 90cm

Made In China

finishes matte I lapatto I granular features
rectified I R9 (matte), R10 (granular)

shade variation moderate variation





MERBAU

Styled after the much-loved Asian hardwood, with wooden patterns that breathe life and character into your setting.



MERBAU







MBUOGOlive Grey



MBUSD Sand



MBUBR Brown

20cm x 120cm


Made In China

finishes matte I anti slip

features rectified I R9

shade variation moderate variation







Boldly cement-patterned, tailor made for innovators and artists on the cutting edge of modernity.



NOVO



NOVIV Ivory



NOVSM Smoke



NOVMO Mocha



NOVGR Grafite



NOVCH Charcoal




60cm x 30cm

30cm x 30cm

shade variation



Made In China





Gently flowing wave-like patterns that mimic Mediterranean sands, evoking calming ocean winds.



RIO SANDSTONE




RIOIV Ivory




RIOBE Beige



RIOGY Grey



RIOBK Black





Made In China

finishes features
matte rectified I R9

shade variation moderate variation













NYABR Brown



CGLGY Grey

20cm x 120cm

Made In China

finishes matte I anti slip

features R9 (matte), R11 (anti slip) **shade variation** substantial variation













VIRGIL







DOUBLE LOADING PORCELAIN

Boasting exceptional durability with increased color and texture variation, ideal for high-foot-traffic areas.





Scattered grains lend an air of lightness and mindfulness.



CAMBRIAN



CBNIV Ivory



CBNBEBeige



CBNLGLight Grey



CBNMGMid Grey



CBNDGDark Grey



CBNBKBlack



30cm x 30cm

Made In Vietnam

finishes matte I nano polished

features
rectified I R10 (matte)

shade variation slight variation









MARBACH



MARIVMARBEIvoryBeige



MARLG Light Grey



MARMG Mid Grey



MARAG Alpine Grey



MARDGDark Grey

60cm x 60cm 60cm x 30cm

60cm x 30cm | 30cm x 30cm

Made In China

finishes matte I polished features rectified I R9 (matte) **shade variation** slight variation






FULL BODY PORCELAIN


FULL BODY PORCELAIN

Extremely Low Porosity Tiles, much beloved for their color and texture consistency.




FULL BODY PORCELAIN





FULL BODY PORCELAIN COMMERCIAL



COMWH White



COMBG Beige



COMDG Dark Grey



COMLG Light Grey



СОММО Mocha



COMBK Black



60cm x 30cm

30cm x 30cm

Made In China

finishes matte I rough I polished I lines features rectified I R9 (matte), R10 (rough), R10 (lines)

shade variation slight variation






FULL BODY PORCELAIN



Whisk your mind away to a galaxy of your own imagination with soothing earth tones.







GALWH White



GALLGLight Grey



GALMGMid Grey



GALDGDark Grey



GALTPTaupe




Made In China

finishes
lines

features
rectified I R9 (lines)

shade variation slight variation






FULL BODY PORCELAIN











FULL BODY PORCELAIN










Ivory






PATDGDark Grey



PATBK Black




Made In Malaysia

*20x20cm : Only Offered in Black Colour and in Matte (P3), Rough (P5) and V8 (P5) Finishes *10x10cm (Mesh-mounted mosaics) : Only offered in Matte (P3) Finishes

finishesfeaturesmatte I roughP3 (matte), P5 (rough)

shade variation slight variation







FULL BODY PORCELAIN

SAVANNAH

Uniform in its minimalist beauty, with a vast selection of colors to inject a touch of class into any setting.









VITRIFIED CERAMICS

VITRIFIED CERAMICS

Highly Affordable Tiles suited for low traffic residential application.



> VITRIFIED CERAMICS





VITRIFIED CERAMICS BELLAGIO



White

finishes

matte I anti slip










BLGBG
Beige
BLGLG
Light Grey

BLGDGDark Grey




BLGBK Black



features
rectified I R10 (matte), R11 (anti slip)

shade variation slight variation





> VITRIFIED CERAMICS





> VITRIFIED CERAMICS

ELINA




ELNIV Ivory



ELNLGLight Grey



ELNDGDark Grey



ELNBE Beige



ELNTPTaupe

shade variation slight variation



Made In China

finishes
matte

features
rectified I R9





CERAMIC WALLS

CERAMIC WALL

Sturdy, dependable wall tiles that are as beautiful as they are easy to clean.







CERAMIC WALL

KONKRIT (WALL)

Boldly simplistic and sparsely patterned, gives subtle character to just about any setting.







KONGIV Ivory



KONGBE Beige



KONGWH White



KONGLG Light Grey



KONGDG Dark Grey



Made In China

finishes glossy

features rectified

shade variation moderate variation





TILE INSTALLATION

Pointers for a worry-free installation process

- Ensure a clean, smooth, dry and wax/grease-free surface, and level or patch any damaged or uneven areas.
- Mark the center point of all four walls to minimize the number of cut tiles.
- Shade variation is an inherent characteristic of porcelain tiles so, upon laying tiles, it is recommended to mix several cartons to give your tiles a total blend filled with randomized effects. It is also advised to employ the same method for same-area tiling.
- Employ tile spacers for each tile setting, leave equal joints between tiles at a recommended tiling gap of 3mm.




- The settling time will vary from a few hours to a few days, depending on the material or adhesive used for installation.
- When grouting, remove the tile spacer, and spread grout on the tile surface using a rubber grout float or squeegee. It is extremely important to refer to the adhesive's packaging for specific instructions or precautions before application.
- Remove excess grout from surface immediately after grouting. Remove the excess grout from surface with damp sponge, clean grout residue and smooth the grout joints.

► INSTALLATION & CARE

TILE CARE

It's easier than it seems

- It is essential to remove all mortar, sand and grout residues quickly upon installation. All you need to do is thoroughly scrub your tile installations with clear water mixed with adequate amount of detergent, and finish with a thorough rinse.
- For grout residue, simply use grout removers. If aggressive cleaning is required, floor scrubbers or floor buffing machines equipped with a nylon pad or brush is recommended. Lastly, thoroughly remove suspended grout residue and construction dirt with a wet vacuum cleaner.



- Do exercise caution while using acid or acid-based cleaners as they can adversely affect the grout. Avoid using hydrofluoric acid or its compounds, in accordance to UNI-EN 176.
- If you do decide to use acid-based cleaning agents, we advise using only diluted sulphuric acid or diluted hydrochloric acid mixed in a correct mixture or concentration.
- It is highly important that you allow 7 to 10 days for grout joints to cure completely before using any acid-based cleaning agents, and remember to thoroughly saturate grout joints with water before you start cleaning.

INSTALLATION & CARE

TYPE	STAIN	RECOMMENDED CLEANING AGENT
Food	Alcoholic beverages Ice-cream Ketchup / soy sauce Coffee / tea Juices / soft drinks	Alkaline-based detergent
Oil & grease	Vegetables Minerals Petrol	Alkaline-based detergent
	Wax Rubber	Scrape off, then clean with turpentine solvent followed by alkaline-based detergent
	Lipstick Shoe polish	Alkaline-based detergent
	Oil-based paint	Turpentine or thinner
	Ink	Turpentine or similar solvents

TYPE	STAIN	RECOMMENDED CLEANING AGENT	
	Mortar	Acid-based detergent	
	Rust stain	Diluted hydrochloric acid or similar acid-based detergent	
Marker	Felt pen	Thinner	
	Methylene blue	Alkaline-based detergent	
	Crayon	Scrape off, then clean with turpentine solvent followed by alkaline-based detergent	
Tile grout	Cement	Diluted hydrochloric acid	
	Latex or polymer	Turpentine or similar solvents	
	Ероху	Scrape with scraper	

DAILY MAINTENANCE

General maintenance and cleaning off will vary depending on the surface texture and soil load. Generally, the cleaning should be performed by:

- · Sweeping or vacuuming to remove loose soil, sand or dirt contaminants.
- Use damp mop with clean water.
- Depending on the soil load, a more aggressive cleaning process may be required by using a neutral cleaner or a general household cleaner followed by a thorough rinsing.

There are five steps that are critical and should always be remembered for the successful maintenance of porcelain tiles:

- All spills should be cleaned as quickly as possible.
- Use only recommended dilution of detergent.
- Allow proper dwelling of the detergent solution to act on the soil load. Generally 5-10 minutes is sufficient.
- Scrub with a nylon pad or bristle brush.
- Rinse thoroughly with clean, clear water to remove the dirty detergent solution and emulsified soil.

Rinsing is a critical step in the maintenance procedure. Use a wet vacuum, dry mop of toweling is necessary. If dirty detergent solution is not removed and is allowed to dry on the surface, a coating will form which will be very difficult to remove.

FOR UNPOLISHED, MATTE AND HONED FINISH TILES

- Sweep or vacuum the floor of all loose dirt, sand and other foreign materials.
- If there are difficult-to-remove contaminants on the surface of the tile, firstly identify the specific spill or contaminant as different surface contaminants require different cleaning methods and chemicals.
- Saturate the floor with a mild cleaning solution to dry. It may be best to complete small areas at a time.
- Ensure detergent does not contain hydrofluoric acid or it compounds, in accordance to UNI-EN176.
- Remove the dirty cleaning solution and rinse the surface with clean, clear water and buff with a dry mop or towel.
- For difficult-to-remove contaminants, scrub the cleaning solution with a floor machine equipped
 with a nylon pad or bristle brush. For residential applications and small areas, use a hand brush
 or a nylon pad. Remove the dirty cleaning solution and rinse the surface with clean, clear water.
 Use a mop or wet vacuum.

FOR POLISHED TILES

- Sweep or vacuum the floor of loose dirt. An untreated, dry dust mop may be more effective than a soft-bristle broom.
- Mop with a mild cleaning solution. Use 50% less detergent concentration than one would use on an unpolished floor.
- Use damp mop with clean water.
- Dry thoroughly with a soft cloth or buffing pad to increase the shine and prevent water spots.



TILES SELECTION

WORDS OF WISDOM FOR YOUR TILE SELECTION JOURNEY

Choosing a tile can be quite a dizzying affair, as you will be required to factor a myriad of patterns, styles, surfaces, sizes and colors to find the perfect pick. Here are some pointers to make your tile selection journey easier.



01

Standing the test of time

Residential or commercial, interior or exterior – each setting has unique tile requirements of different attributes and durability. Fret not, for our Technical Standards and PEI classification is designed to guide you in choosing the right tile.

04

The right finish

Protect your tiles with the most suitable finish. For spaces with frequent water contact, structured or matte finishes will give you an anti-slip advantage. For other spaces, you may widen your selection to choices that suit your desired atmosphere.

02

Size matters

For example, recent trends show a preference for larger floor and wall tiles to enhance the spaciousness of the room.

03

Playing with colors

Generally, lighter colors exude spaciousness, complementing well with your room décor; while bolder colors make the space just a touch more intimate and heightens your self-expression.

05


The spaces in between

Grout is available in a wide variety of colors, and each will produce different visual results. Matching colors will give your floor a sleek and seamless look, whereas contrasting colors make each individual tile a unique art piece.

PEI RATINGS & CLASSIFICATIONS

PORCELAIN ENAMEL INSTITUTE (PEI)

With the exception of through-body porcelain tiles, all glazed floor tiles are classified with a PEI rating to gauge the tiles' suitability in any particular location.





No foot traffic

Recommended for walls in both residential and commercial usage.



Very light foot traffic

Suitable for residential bathrooms with low or very low barefoot traffic.



Minimal foot traffic

Suitable for bathrooms, bedrooms, dining rooms, and living rooms.



Light to moderate foot traffic

Suitable for normal foot traffic areas such as kitchens, the outdoors, entryways and hallways.



Moderate to high foot traffic

Suitable for light to medium foot traffic commercial applications, and at high foot traffic areas for residential application.



Heavy traffic

Ideal for all residential and heavy commercial areas under normal foot traffic conditions.

PEI RATINGS & CLASSIFICATIONS

TILE CLASSIFICATIONS

According to current international norms (ISO13006), ceramic tiles are classified into 9 groups, based on 2 features – the level of water absorption and the shaping method. Generally, our product range belongs to the dry-pressed porcelain tiles (BI) group which, according to ISO 13006, is divided into two subgroups:

Bla (W.A. < 0.05%) and Blb (<W.A. < 3%)
W.A.% stands for water absorption rate by percentage.

Simply put, this categorization is a significant factor in defining the performance specifications of our vast range of products.



SHADE VARIATION GUIDE



Uniform Appearance

Differences among pieces from the same production run are minimal.



Slight Variation

Clearly distinguishable differences in texture and/or pattern within similar colors.



Moderate Variation

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece may vary significantly. For example "that little bit of color" on one piece of tile may be the primary color on the next piece.



Substantial Variation

Random color differences from tile to tile, so that one tile may have totally different colors from that of others tiles. Thus the final installation will be unique.

CERASIA INTERNATIONAL TECHNICAL SPECIFICATIONS

		L
C	5	1
Č		5
	9	-

	Type of Test	International Norm	International Standard (S > 410 cm2)	International Standard (S > 410 cm2)	International Standard
	Water Absorption	ISO 10545-3 / EN 99	CerAsia Full Body / Glazed Porcelain Group Bla, E ≤ 0.5%	CerAsia Vitrified Ceramics Group Blb, 0.5% < E ≤ 3%	CerAsia Glazed Ceramic Wall Tiles Group BIII, E ≥ 10%
4)	Length & Width	ISO 10545-2 / EN 98	±0.50%	±0.50%	±0.50%
Flatness of Surface	Thickness	ISO 10545-2 / EN 98	±5.00%	± 5.00%	±10.00%
ss of	Straightness of Sides	ISO 10545-2 / EN 98	±0.50%	±0.50%	±0.50%
Flatne	Rectangularity	ISO 10545-2 / EN 98	±0.50%	±0.50%	±0.50%
Dimensions &	Warpage	ISO 10545-2 / EN 98	±0.50%	±0.50%	±0.50%
	Center Curvature	ISO 10545-2 / EN 98	±0.50%	±0.50%	±0.50%
Ω	Edge Curvature	ISO 10545-2 / EN 98	±0.50%	±0.50%	±0.50%
	Modulus of Rupture	ISO 10545-4 / EN 100	Min. 35N/mm2	Min. 30N/mm2	Min. 12N/mm2
	Co-efficient of Thermal Expansion	ISO 10545-8 / EN 103	≤ 9X10-6K-1	≤ 9X10-6K-1	Not Applicable
	Thermal Shock	ISO 10545-9 / EN 104	No Damage	No Damage	No Damage
	Frost Resistance	ISO 10545-12 / EN 202	No visible alteration to the surface	No visible alteration to the surface	Not Applicable
	Chemical Resistance	ISO 10545-13 / EN 106	Min GB	Min GB	Min GB
	Resistance to Staining	ISO 10545-14	Min.Class 3	Min.Class 3	Min.Class 3

TILE CLASSIFICATION BY WATER ABSORPTION

CERAMIC TILE CLASSIFICATION UNDER NORM EN.14411				
	WATER ABSORPTION CAPACITY			
MANUFACTURING PROCESS	Group I E ≤ 3%	Group IIa 3% < 6%	Group IIb 6% < 10%	Group III E > 10%
A EXTRUDED TILES	AI Low water absorption	Alla Medium-Low water absorption	Allb Medium-High water absorption	AllI High water absorption
B PRESSED TILES	Bla E ≤ 0.5% Very low water absorption	Blla Medium-Low	BIIb Medium-High	BIII High water
PKESSED TILES	Blb 0.5% < 3% Low water absorption	water absorption	water absorption	absorption

CERASIA TILE CATEGORIES

5
N
116

PRODUCT CATEGORY	WATER ABSORPTION	DESCRIPTION	SUITABLE AREA	CERASIA RANGES
Full Body Porcelain	Below 0.5%	Top surface and bottom body are the same	High Traffic Area (almost everywhere)	patio, mono, commercial, galaxy, savannah
Double Loading Porcelain	Below 0.5%	Double layer, also known as semi full body	High Traffic Area (almost everywhere)	marbach, cambrian
Glazed Porcelain (Colored Body)	Below 0.5%	Top surface and bottom body are similar, using a different colour bodies to match the surface colour in order to enhance the protection	High Traffic Area (almost everywhere)	amalfi
Glazed Porcelain (Non Colored Body)	Below 0.5%	Top surface and bottom body are different, also termed as white body	Light Traffic Area	gres arena, rio sandstone, cement, melrose, linea, canyon, merbau, virgil crema marfil, jati
Vitrified Ceramic	Between 1~3%	Similar to glazed porcelain non-colored body, that the water absorption level is different	Light Traffic Area (housing)	bellagio, elina
Ceramic Wall Tiles	Between 12-18%	Body is different compared to porcelain tiles, also termed as white body. Some wall tiles use red body	Wall Application Only	neutral line, konkrit (wall)



Sole Distributor in Maldives Jaah Pvt Ltd

Contract: nalaka@jaah.mv, +960 778 3708